

RECORD OF COMPLAINT RECEIVED BY
MAYOR'S OFFICE

US EPA RECORDS CENTER REGION 5



511432

NAME: [REDACTED]

DATE: March 21, 1990

ADDRESS: Corner of 8th & Cedar

PHONE: [REDACTED]

MESSAGE:

There have been chemical spills at Kenco Plating located right next to her. One took place in May, 1989 and another took place on 2-13-90. She is concerned about the safety for the residents of Wyandotte because at one of the chemical spills, a hole was made in the wall of the building and the run-off went down the sidewalk, into the street and into the sewer system. Also, there have been five residents that died of cancer within the past year and she is wondering if their deaths could be related to the chemicals that have entered the ground at Kenco. She has been in touch with the E.P.A. but has never been able to find out anything. She has also talked with the Wayne County Health Department but has never heard anything from them. She would like the City to look at the situation and see if there is a health hazard in her neighborhood.

She also called to say that the incident that took place at the end of last night's Council Meeting was a fiasco and should have been interrupted.

She also asked that the barriers that have been setting at Kenco Plating since February 13, 1990 be removed. (I contacted D.P.S. and was assured they would be picked up today.)

COMPLAINT RECEIVED BY: Judy Kollar

ACTION TAKEN: Referred to Gayle Savage, per Mayor DeSana